


Accessories

SOFTBOXES & UMBRELLAS



You can adapt MZ softboxes with or without Grids and umbrellas to your MZ lights.

Softboxes reduce contrast, conceal skin blemishes, and soften the edges of the shadows.

Grids are able to focus the light on their targets and eliminate any spilling light on the background.

Square or Rectangular. Dimensions: 60x60cm, 90x90cm, 23x90cm and 30x120cm.

You can use umbrellas with your MZ LED lights. Diffusion umbrella creates a soft and even quality of light for smooth images. Reflective umbrella creates a beautiful bounced-lighting ambience with additional intensity.



MZ-Softbox-90x90cm
MZ-Softbox-90x90-Grid
for the MZ-LED884/336



MZ-Softbox-60x60cm
MZ-Softbox-60x60-Grid
for the MZ-LED884/336/176



MZ-Softbox-30x120cm
MZ-Softbox-30x120-Grid
for the MZ-LED884/336



MZ-Softbox-23x90cm
MZ-Softbox-23x90-Grid
for the MZ-LED336/176



MZ-Softbox-40x40cm
for the MZ-LED176/120

High heat resistance



Rotatable Metal base





MZ-Silver-Umbrella-110cm



MZ-White-Umbrella-110cm



MZ-Snoot-LED176
MZ-Snoot-LED336

Directional snoot with grids
and four color filters.
(Blue, Red, Green, Orange.

Spare Parts

MZ-Diffuser-90x90cm
MZ-Grid-90x90cm

MZ-Diffuser-60x60cm
MZ-Grid-60x60cm

MZ-Diffuser-30x120cm
MZ-Grid-30x120cm

MZ-Diffuser-23x90cm
MZ-Grid-23x90cm





MZ-Softbox-base-240mm
For the MZ-LED884

FLAGS
FILTERS
DIFFUSERS
BARNDOORS

MZ Flags use black or white high quality fabric. Black Fabric is used to stop light completely and are used to control or cut illumination. It protects camera lenses from flare. White Fabric is used to soften the light.

We produce round polycarbonated diffusers and 3200K or 5600K color filters for our LED lights. They are equipped with magnets for easy adjustment.

MZ barndoors are made of metal and they are equipped with gel clips.

MZ reflector has 110cm diameter and is equipped with 5 different filters. Gold, Silver, White, Black and Translucent.

Flags with steel tubes



MZ-Flag-Black-45x60cm
MZ-Flag-Black-60x75cm
MZ-Flag-Black-75x90cm

Controls the light & reflections



MZ-Flag-White-45x60cm
MZ-Flag-White-60x75cm
MZ-Flag-White-75x90cm

Softens the light

Spare parts

MZ-Fabric-White-45x60cm
MZ-Fabric-White-60x75cm
MZ-Fabric-White-75x90cm



MZ-Fabric-Black-45x60cm
MZ-Fabric-Black-60x75cm
MZ-Fabric-Black-75x90cm



MZ-Filter-holder (For extra protection)
(84mm, 105mm, 150mm or 240mm)
For the MZ filters and lenses.



Reflector

MZ-Reflector-5in1-110cm
Gold, Silver, White, Black, Translucent.
110cm diameter.



Gold gives a fabulous Sunny day warm glow.
Silver provides a superb high contrast reflective bounce.
White creates a bright, really natural 2nd light for filling.
Black absorbs all light it receives, and does not allow reflection.
Translucent White minimizes shadows and softens the light.




MZ-Reflector-holder
For up to 150cm diameter Reflectors.
Aluminum material - 16mm spigot hole




Barndoors with gel clips

MZ-BarnT (For MZ-LED120)
MZ-BarnS (For MZ-LED176)
MZ-BarnB (For MZ-LED336)
MZ-BarnH (For MZ-LED884)



Filters with magnets

(84mm, 105mm, 150mm or 240mm)



MZ-Cool-Filter (5600K)
MZ-Warm-Filter (3200K)
MZ-Diffuser-Filter
MZ-Blue-Filter
MZ-Red-Filter
MZ-Green-Filter
MZ-Brown-Filter


LENSES

We produce two high-quality optional lenses for our LED lights. 60° & 30° light beam lenses.

These lenses are detachable, so you have three different light beams when you use your MZ Led lights: 115°, 60° or 30° light beams.

The 60-degree lens increases the intensity of the light by 3 times in long distances and the 30-degree lens increases the intensity of the light by 5 times.

These lenses have high heat resistance for long lasting usage.




Detachable



Easy adjustment



High quality lenses



30° or 60° lenses



For MZ-LED120-Bolt

MZ-Lens-60°-84mm

MZ-Lens-30°-84mm

For MZ-LED176

MZ-Lens-60°-105mm

MZ-Lens-30°-105mm

For MZ-LED336


MZ-Lens-60°-150mm

MZ-Lens-30°-150mm

For MZ-LED884

MZ-Lens-60°-240mm


MZ-Lens-30°-240mm





- MZ Lenses converts the 115° light beam to 30° or 60°.
- 30° lens triples the intensity of the light in long ditances.
- 60° lens increases the intensity of the light by 5 times in long distances.
- Magnets hold the lens in each position.
- High quality material with high heat resistance.




Light intensity with optional lenses









TRIPODS & C-STAND

Tripods

- Our tripods are made of lightweight and durable aluminum material and have metal junctions.
- They have air cushion in order to be folded smoothly and easily without causing any damage to the lights.
- Heavy duty metal spigot with 1/4" and 3/8" threads is included. They can be adapted horizontally or vertically.
- Plastic clamp is included to hold the cable of the MZ Lights.
- Dimensions: 2.4m, 2.8m, 3.0m and 3.8m.
- Payload: 12KG (3.0m & 3.8m)
  6KG (2.4m & 2.8m)

C-Stand

- Heavy duty stainless steel C-stand with 1m Boom arm and grip heads.
- Stand base can be folded easily.
- Payload: 20KG
- Height: 1.45m - 3.28m (with included pole) or 70cm - 1.93m (with optional 60cm pole)

MZ-2.4A

Height: 0.84-2.4m
Folded: 73.5cm
4 Sections
Weight: 1.8KG
Payload: 6KG

MZ-2.8A

Height: 0.96-2.8m
Folded: 83.5cm
4 Sections
Weight: 1.95KG
Payload: 6KG

MZ-3.0LA

Height: 1.22-3.0m
Folded: 1.04m
3 Sections
Weight: 2.22KG
Payload: 12KG

MZ-3.8LA

Height: 1.26-3.8m
Folded: 1.07m
4 Sections
Weight: 3.26KG
Payload: 12KG

Air Cushion



Metal Junctions




16mm Spigot



Cable clamp





MZ-C-STAND

Height: 1.45-3.28m
Folded: 1.45m
3 Sections (25, 30, 35mm)
16mm spigot
Grip heads
Arm length: 1m
Weight: 8.1KG
Payload: 20KG

Foldable Base



Grip heads



16mm spigot



Cable clamp



Accessories



MZ-Pole-C-Stand-60cm

Height: 60cm-1.83m
C-Stand height with this Pole: 70cm - 1.93m



MZ-Pole-C-Stand-140cm (included)

Height: 1.40m-3.23m
C-Stand height with this Pole: 1.45m - 3.28m



MZ-Boom-Arm-100cm



MZ-Boom-Arm-50cm



MZ-Sandbag-B

12KG Payload



MZ-Sandbag-S

6KG Payload



MZ-Grip-Head

20KG Payload



CLAMPS
ADAPTERS
SUPPORTS

We have clamps and adapters for umbrellas, flags, filters and Light accessories.

MZ Background support can be used for backdrop muslins. Green muslins are used for shootings with Green screen. This support system consists of two 3m aluminum tripods, a 3m aluminum pole and a transport bag.

MZ Reflector holder is an aluminum support system for reflectors up to 150cm diameter.

We have roof stands and poles to use the MZ LED lights in studios.

Supports

MZ-Background-Support

2x Tripods 3m height
1x 3m Pole (3 sections)









MZ-Reflector-holder

For up to 150cm diameter Reflectors.
Aluminum material - 16mm spigot hole

MZ-Safety-Wire-70

70cm length
20KG payload





MZ-Roof-Stand

35-55cm length
16mm removable spigot
3/8" or 1/4" screws
7KG payload



MZ-Boom-180cm

71-180cm length
2x 16mm spigots (one removable)
3/8" or 1/4" screws
7KG payload







MZ-Sandbag-B

12KG Payload



MZ-Sandbag-S

6KG Payload

Umbrella adapters



MZ-Umbrella-Adapter

Adapt Umbrellas on light tripods.
Up to 3cm hole diameter.





MZ-Umbrella-Clip

Adapt Umbrellas on light tripods.
Up to 7cm clamp opening.





MZ-Umbrella-Clamp

Adapt Umbrellas on light tripods.
Up to 3cm hole diameter
Up to 8cm clamp opening.





MZ-Flash-adapter-M11

1/4" & 3/8" screws & threads
Hot Shoe - Umbrella hole



Clamps



MZ-Super-Clamp
1/4" & 3/8" threads
16mm spigot hole





MZ-Table-Clamp
1/4" & 3/8" threads
16mm Spigot
Up to 8.5cm opening





MZ-Ball-Hot-Shoe
1/4" screw & Hot Shoe





MZ-Clamp-Kit
1/4" screw





MZ-M11-Clamp
Mount filters on lights



MZ-Ball-Head
1/4" to 1/4" screw



MZ-Clamp
1/4" & 3/8" threads

MZ-Spigot
1/4" & 3/8" screws



POWER ADAPTERS

The great advantage of the MZ LED lights is that you can use different kind of Batteries using the external MZ battery adapters.

MZ Battery adapters can be adapted on Tripods with clamps which gives you extra stability to your light stands.

We provide Sony NPF, Sony Vlock and Panasonic Glock type battery adapters. These adapters are Single or Dual for extra operating hours.

We also provide Vlock converter (14.8V to 12V/7.4V/5V) with 15mm Rods adapter. All the MZ Dummy batteries can be adapted on this adapter in order to give power to your photo cameras.

MZ DTAP cable converter (14.8V to 7.4V) can also be used with the MZ Dummy batteries to give power to your photo camera from a Vlock or Glock battery with DTAP output.

Glock to Vlock and Vlock to Glock adapters are also available.





MZ-VLock

DC output: 14.8V-16.8V
4pin Female XLR with 1.5m cable
DTAP output - Tripod Clamp
Suitable for MZ-LED336 & LED176
Sony VLock type batteries



MZ-GLock

DC output: 14.8V-16.8V
4pin Female XLR with 1.5m cable
DTAP output - Tripod Clamp
Suitable for MZ-LED336 & LED176
Panasonic GLock type batteries



MZ-NPF-Dual

DC output: 14.8V-16.8V
4pin Female XLR with 1.5m cable
Tripod Clamp
Suitable for MZ-LED336 & LED176
Two Sony NPF type Batteries



MZ-NPF-Single

DC output: 7.4V-8.4V
4pin Female XLR with 1.5m cable
Tripod Clamp - For MZ-LED176
Sony NPF type batteries



MZ-VLock-Dual-14.8V

DC output: 14.8V-16.8V
4pin Female XLR with 1.5m cable
DTAP outputs - 1/4" thread
Suitable for MZ-LED336 & LED176
Sony VLock type batteries
Hot Swap function.

MZ-VLock-Dual-29.6V

DC output: 29.6V-33.6V
4pin Female XLR with 1.5m cable
DTAP outputs - 1/4" thread
Suitable for MZ-LED884
Sony VLock type batteries



MZ-GLock-Dual-14.8V

DC output: 14.8V-16.8V
4pin Female XLR with 1.5m cable
DTAP outputs - 1/4" thread
Suitable for MZ-LED336 & LED176
Panasonic GLock type batteries
Hot Swap function.

MZ-GLock-Dual-29.6V

DC output: 29.6V-33.6V
4pin Female XLR with 1.5m cable
DTAP outputs - 1/4" thread
Suitable for MZ-LED884
Panasonic GLock type batteries



MZ-GLock-Vlock

DTAP outputs
Glock to VLock Converter
Panasonic GLock batteries



MZ-NPF-Vlock

NPF to VLock Converter
Two Sony NPF batteries



MZ-VLock-Glock

DTAP outputs
VLock to Glock Converter
Sony VLock type batteries



MZ-NPF-Hot-Shoe

DC output 7.4V-8.4V & USB 5V
Hot shoe or 1/4" Screw
Sony NPF batteries
Suitable for MZ-LED120-Bolt



MZ-VLock-Converter

DC output 12V/7.4V/5V
DTAP/USB/Barrel outputs
Rail 15mm adapter
VLock Sony Type batteries

Tripod clamp



4pin Female XLR



D-TAP



BATTERIES & SUPPLIERS

We have all kind of batteries, dummy batteries & chargers for Professional Video and Photo cameras.

MZ batteries have high quality LG Cells & info chip.
Overheating protection. 2-year Warranty.

VLock batteries have DTAP and USB outputs.
Specific models of Mini Batteries have USB and DC outputs.

Sony VLock, NPF, BPU, FV100, FW50 & FZ100 type batteries.
Panasonic VBD58 & BLF19 type batteries.
Canon BP-975, BP-A60, LP-E6 & LP-E8 type batteries.
JVC SSLJVC50 type batteries.
Nikon EN-EL15 & EN-EL20 type batteries.

MZ chargers are dual high quality Simultaneous chargers either for the VLock or the mini batteries.

VLock



MZ-V95-USB

VLock Sony type battery
DTAP & USB 5V outputs
95Wh - 14.8V/6600mAh



MZ-V150-USB

VLock Sony type battery
DTAP & USB 5V outputs
150Wh - 14.8V/10400mAh



MZ-V190-USB

VLock Sony type battery
DTAP & USB 5V outputs
190Wh - 14.8V/13200mAh



MZ-XLR-DTAP

DTAP to 4pin female XLR
30cm length



MZ-Vlock-2CH

Dual Simultaneus Vlock charger
2x 16.8V/3.2A channels
4pin XLR Female 14.8V/5A output

Battery Kits



MZ-V95-Kit2
MZ-V150-Kit2
MZ-V190-Kit2

2x MZ-V95 or V150 or V190 Batteries & 1x MZ-Vlock-2CH charger




MZ-V95-Kit4
MZ-V150-Kit4
MZ-V190-Kit4


4x MZ-V95 or V150 or V190 Batteries & 1x MZ-Vlock-2CH charger

MZ-DTAP-Distributor

1x DTAP input to 4x DTAP outputs
30cm length



VLock mount



DTAP & USB Outputs



Indicators



XLR 4pin female



JVC SSL/BN



MZ-SSLJVC70
7800mAh - 7.4V/57.7Wh
Indicators - USB 5V & DC 7.4V outputs

MZ-BNVC296G
9600mAh - 7.4V/71Wh

Sony BPU



MZ-BPU90
10.050mAh - 14.8V/148.7Wh
LED Indicators with check button


MZ-BPU65-USB
6700mAh - 14.8V/99.2Wh
Indicators - USB 5V & DTAP 14.8V outputs



MZ-BPU30
3350mAh - 14.8V/49.6Wh
LED Indicators with check button



Sony FV



MZ-FV120
3300mAh - 7.4V/24.4Wh

Sony NPF

MZ-NPF970
7800mAh - 7.4V/57.7Wh

MZ-NPF770
5200mAh - 7.4V/38.5Wh



MZ-NPF550
2600mAh - 7.4V/19.2Wh



MZ-NPF980-USB
10.050mAh - 7.4V/74.4Wh
Indicators- USB 5V & DC 7.4V outputs

MZ-NPF990
13.400mAh - 7.4V/99.2Wh

Indicators



DTAP Connector



USB Connector




DC 7.4V output



Batteries for Photo Cameras

Canon BP/BP-A



MZ-BP955
5200mAh - 7.4V/38.5Wh
LED Indicators with check button


MZ-BP975
10.050mAh - 7.4V/74.4Wh
LED Indicators with check button



MZ-BPA60
6700mAh - 14.8V/99.2Wh
Indicators - USB 5V & DTAP 14.8V outputs

MZ-BPA65-USB
6700mAh - 14.8V/99.2Wh
Indicators - USB 5V & DTAP 14.8V outputs

Panasonic VBD



MZ-VBD78
10.050mAh - 7.4V/74.4Wh
LED Indicators with check button

MZ-VBD78-USB
10.050mAh - 7.4V/74.4Wh
LED Indicators - USB 5V & DC 7.4V outputs



MZ-BLF19
2000mAh - 7.4V/14.8Wh
Panasonic DMW-BLF19 type



MZ-ENEL20
1200mAh - 7.4V/8.9Wh
Nikon EN-EL20 Type



MZ-DMWBLJ31
3050mAh-7.4V/22.5Wh
Panasonic BLJ Type



MZ-LPE6
2000mAh - 7.4V/14.8Wh
Canon LP-E6 type




MZ-ENEL15
2000mAh - 7V/14Wh
Nikon EN-EL15 Type



MZ-NPFZ100
2280mAh - 7.4V/16.9Wh
Sony NP-FZ100 Type



MZ-LPE8
1200mAh - 7.4V/8.9Wh
Canon LP-E8 type



MZ-NPW126S
1140mAh - 7.4V/8.44Wh
Fujinon NP-W126S Type




MZ-NPFW50
1080mAh - 7.4V/8Wh
Sony NP-FW50 Type

Dual mini Charger

MZ-Mini-2CH

Simultaneous charger





Interchangeable plates for all mini batteries:
JVC, Panasonic, Sony, Fujinon, Canon, Nikon.

MZ-Plate-BLF19
MZ-Plate-DMW-BLJ31
MZ-Plate-LPE6
MZ-Plate-JVC70
MZ-Plate-BN-VC296G
MZ-Plate-VBD58-D54S
MZ-Plate-BPU60
MZ-Plate-NPF570
MZ-Plate-NP-FV120
MZ-Plate-NP-FZ100
MZ-Plate-NP-FW50
MZ-Plate-NPW126S
MZ-Plate-LP-E8
MZ-Plate-EN-EL15
MZ-Plate-EN-EL20



LED Screen with charging indicators

USB 5V output
DC 12V barrel input

Photo Battery Kits

MZ-NPF-BLF19-Kit
MZ-NPF-NPFW50-Kit
MZ-NPF-NPFZ100-Kit
MZ-LPE6-Kit
MZ-LPE8-Kit
MZ-EL15-Kit





2 x Batteries MZ-NPF980-USB, 1x MZ-NPF-Hot-Shoe adapter,
1x MZ-Mini-2CH charger, dummy battery & 2x Battery Plates

Video Battery Kits

MZ-SSLJVC70-USB-Kit
MZ-BPU65-USB-Kit
MZ-NPF980-USB-Kit
MZ-VBD78-USB-Kit



2 x Batteries, 1x MZ-Mini-2CH charger & 2x Battery Plates

Dummy Batteries

30cm cable & Female barrel connector



MZ-LP-E8-Dummy (Canon)



MZ-LP-E6-Dummy (Canon)



MZ-EN-EL15-Dummy (Nikon)



MZ-DMW-BLF19-Dummy (Panasonic)



MZ-NP-FZ100-Dummy (Sony)



MZ-NP-FW50-Dummy (Sony)



MZ-DTAP-Dummy

14.8V to 7.4V Cable Converter.
DTAP input - Barrel Male output.
Compatible with all MZ Dummy batteries.
Give power to your photo camera from the MZ VLock or Mini batteries with DTAP output.



MZ-NPF-Hot-Shoe

DC output 7.4V-8.4V & USB 5V.
Hot shoe or 1/4" Screw.
Sony NPF batteries.
Compatible with all
MZ Dummy batteries.



MZ-VLock-Converter

DC output 12V/7.4V/5V.
DTAP/USB/Barrel outputs.
Rail 15mm adapter.
VLock Sony Type batteries.
Compatible with all
MZ Dummy batteries.

Suppliers



MZ-PSU-240W (For MZ-LED884)

30V/8A - 240W Power supplier.
4pin Female XLR output - 1.2m cable length.

MZ-PSU-100W (For MZ-LED336)

15V/6.6A - 100W Power supplier.
4pin Female XLR output - 1.2m cable length.

MZ-PSU-80W (For MZ-LED176)

15V/5.3A - 80W Power supplier.
4pin Female XLR output - 1.2m cable length.



MZ-PSU-30W (For MZ-LED120-Bolt)

8.4V/3.57A - 30W Power supplier.
Barrel male - 2m cable length.
Compatible with all Dummy batteries.



MZ-PSU-Protector-S

Silicone Cover to protect PSU.
For MZ-PSU80W & MZ-PSU100W.

MZ-PSU-Protector-B

Silicone Cover to protect PSU.
For MZ-PSU240W.

BAGS



MZ Light bags are made of high quality durable fabric and 1cm protective foam.

You can fit up to five MZ LED lights in a single bag. MZ-BAGB is equiped with rollers and has space for three light tripods. MZ-BAGS has external straps for three light tripods. Both bags have external pockets, shoulder straps and high quality zippers.

MZ-BAGTS is a bag for up to four small light tripods MZ-2.4A or MZ-2.8A. MZ-BAGTB is a bag for up to four big light tripods MZ-3.0LA or MZ-3.8LA.

MZ pouches are drawstring bags with 1cm protective foam. We have four different dimensions which are suitable for the MZ LED lights with barndoors and power supplier.



MZ-BAGB

Up to 3x MZ-LED336 or 5x MZ-LED176 lights.
Space for 3x MZ-2.4A light tripods at the bottom.
1cm protective foam - Shoulder strap - Pockets







MZ-BAGS

Up to 2x MZ-LED336 or 3x MZ-LED176 lights.
Straps for 3x light tripods.
1cm protective foam - Shoulder strap - Pockets



MZ-BAGTS

Up to 3x MZ-2.4A/2.8A light tripods
Shoulder strap - Protective foam

MZ-BAGTB

Up to 3x MZ-3.0LA/3.8LA light tripods
Shoulder strap - Protective foam



MZ-Pouch-20x20cm

For MZ-LED120/Bolt

MZ-Pouch-35x35cm

For MZ-LED176

MZ-Pouch-37x42cm

For MZ-LED336

MZ-Pouch-50x60cm

For MZ-LED884


Space for tripods



Rollers




High quality zippers



Straps for tripods







LIGHT KITS

- Single MZ light Kits include one LED light with accessories.
- Multiple MZ light Kits include Lights of the same model with tripods, bags and other accessories.
- Mixed MZ light Kits include Lights of different models with tripods, bags and other accessories.
- Kit2 includes two lights, Kit3 three lights, Kit4 four lights, Kit6 six lights and Kit8 eight lights.

- Basic Kit includes Diffuser and Supplier.
- Essential Kit includes Softbox, Supplier, Clamp kit, DTAP cable and Pouch.
- Power Kit includes Battery adapter, Supplier, Diffuser, Barndoors, Clamp kit and Pouch.
- Deluxe Kit includes 30° & 60° lenses, Supplier, Diffuser, Barndoors, Clamp kit, DTAP cable and Pouches.
- Full Kit includes Supplier, Diffuser, Barndoors, Clamp kit, DTAP cable and pouch.

MZ-LED120 Light Kits

MZ-LED120

MZ-LED120-Basic-Kit
MZ-LED120-Essential-Kit
MZ-LED120-Power-Kit
MZ-LED120-Deluxe-Kit
MZ-LED120-Full-Kit

MZ-LED120-Bolt

MZ-LED120-Bolt-Basic-Kit
MZ-LED120-Bolt-Essential-Kit
MZ-LED120-Bolt-Deluxe-Kit
MZ-LED120-Bolt-Full-Kit

Multiple Kits

MZ-LED120-Basic-Kit3
MZ-LED120-Full-Kit3
MZ-LED120-Basic-Kit4
MZ-LED120-Full-Kit4

Temperatures: W: Warm 3100K LED Light C: Cool 5600K LED Light B: Bicolor 3100-5600K LED Light

MZ-LED176 Light Kits

Single Kits

Standard Dimmer

MZ-LED176-Basic-Kit
MZ-LED176-Essential-Kit
MZ-LED176-Power-Kit
MZ-LED176-Deluxe-Kit
MZ-LED176-Full-Kit

OLED Dimmer

MZ-LED176-OLED-Basic-Kit
MZ-LED176-OLED-Essential-Kit
MZ-LED176-OLED-Power-Kit
MZ-LED176-OLED-Deluxe-Kit
MZ-LED176-OLED-Full-Kit


Multiple Kits

Standard Dimmer

MZ-LED176-Basic-Kit3
MZ-LED176-Full-Kit3
MZ-LED176-Basic-Kit4
MZ-LED176-Full-Kit4

OLED Dimmer

MZ-LED176-OLED-Basic-Kit3
MZ-LED176-OLED-Full-Kit3
MZ-LED176-OLED-Basic-Kit4
MZ-LED176-OLED-Full-Kit4



Temperatures: W: Warm 3100K LED Light C: Cool 5600K LED Light B: Bicolor 3100-5600K LED Light

MZ-LED336 Light Kits

Single Kits

Standard Dimmer

MZ-LED336-Basic-Kit
MZ-LED336-Essential-Kit
MZ-LED336-Power-Kit
MZ-LED336-Deluxe-Kit
MZ-LED336-Full-Kit

OLED Dimmer

MZ-LED336-OLED-Basic-Kit
MZ-LED336-OLED-Essential-Kit
MZ-LED336-OLED-Power-Kit
MZ-LED336-OLED-Deluxe-Kit
MZ-LED336-OLED-Full-Kit


Multiple Kits

Standard Dimmer

MZ-LED336-Basic-Kit3
MZ-LED336-Full-Kit3
MZ-LED336-Basic-Kit4
MZ-LED336-Full-Kit4

OLED Dimmer

MZ-LED336-OLED-Basic-Kit3
MZ-LED336-OLED-Full-Kit3
MZ-LED336-OLED-Basic-Kit4
MZ-LED336-OLED-Full-Kit4



Temperatures: W: Warm 3100K LED Light C: Cool 5600K LED Light B: Bicolor 3100-5600K LED Light

MZ-LED884 Light Kits

Single Kits

Standard Dimmer

MZ-LED884-Basic-Kit
MZ-LED884-Essential-Kit
MZ-LED884-Power-Kit
MZ-LED884-Deluxe-Kit
MZ-LED884-Full-Kit

OLED Dimmer

MZ-LED884-OLED-Basic-Kit
MZ-LED884-OLED-Essential-Kit
MZ-LED884-OLED-Power-Kit
MZ-LED884-OLED-Deluxe-Kit
MZ-LED884-OLED-Full-Kit

Multiple Kits

Standard Dimmer

MZ-LED884-Basic-Kit3
MZ-LED884-Full-Kit3
MZ-LED884-Basic-Kit4
MZ-LED884-Full-Kit4

OLED Dimmer

MZ-LED884-OLED-Basic-Kit3
MZ-LED884-OLED-Full-Kit3
MZ-LED884-OLED-Basic-Kit4
MZ-LED884-OLED-Full-Kit4

Temperatures: W: Warm 3100K LED Light C: Cool 5600K LED Light B: Bicolor 3100-5600K LED Light

Mixed Kits

Standard Dimmer

MZ-LED336-176-Basic-Kit4
(2x LED336 & 2x LED176 basic light kits)

MZ-LED336-176-Fulll-Kit4
(2x LED336 & 2x LED176 full light kits)

MZ-LED-Basic-Kit6
(2x LED884, 2x LED336 & 2x LED176 basic light kits)

MZ-LED-Full-Kit6
(2x LED884, 2x LED336 & 2x LED176 full light kits)

MZ-LED-Basic-Kit8
(2x LED884, 2x LED336, 2x LED176 & 2x LED120 basic light kits)

MZ-LED-Full-Kit8
(2x LED884, 2x LED336, 2x LED176 & 2x LED120 full light kits)

OLED Dimmer

MZ-336-176-OLED-Basic-Kit4
(2x LED336 & 2x LED176 OLED basic light kits)

MZ-336-176-OLED-Fulll-Kit4
(2x LED336 & 2x LED176 OLED full light kits)

MZ-LED-Basic-Kit6
(2x LED884, 2x LED336 & 2x LED176 OLED basic light kits)

MZ-LED-Full-Kit6
(2x LED884, 2x LED336 & 2x LED176 OLED full light kits)

MZ-LED-Basic-Kit8
(2x LED884, 2x LED336, 2x LED176 & 2x LED120 OLED basic light kits)

MZ-LED-Full-Kit8
(2x LED884, 2x LED336, 2x LED176 & 2x LED120 OLED full light kits)



Temperatures: W: Warm 3100K LED Light C: Cool 5600K LED Light B: Bicolor 3100-5600K LED Light



www.m-z.gr